### **ColorWorks Pro Plus Document Finisher**

Front Unit

Main Unit

EHCS

**Evacuation Unit** 

Front Unit

1,150 (45.3\*)

lachine Weight

Front Unit 265 kg (583 lbs.)

Main Unit

69A

Heat Output

2,900 kJ (690 kcal)

295 kg (649 lbs.)

**Evacuation Unit** 

64 kg (141 lbs.)

686 (27

Machine Dimensions (Width x Depth x Height)

45.3" x 27.0" x 43.3" (1,150 x 686 x 1,100 mm)

43.3" x 27.0" x 47.3" (1,100 x 686 x 1,200 mm)

570 (22.5")

Main Unit

1,100 (43.3")

3,240 (127.6")

686 (27

380 (15") 2,636 (103.8"

600 (23.7

Unit : mm (inch

OCT

390 (15.4"

28.4" x 18.2" x 37.8" (720 x 460 x 969 mm)

#### **ColorWorks Major Specifications**

Xerox Color 800/1000 Presses, DocuColor 8080

#### User Interface

Icon-based touchscreen. LCD panel indicates finisher status and job parameters, and facilitates troubleshooting and diagnostics.

Bookletmaking Min. 7.2" x 10.1" (182 x 257 mm) Max 12.6" x 18.0" (320 x 458 mm)

Side/Top Stitching Min. 7.2" x 8.3" (182 x 210 mm) Max. 12.6" x 14.1" (320 x 360 mm) Side/Top Stitching + Fold

Min. 7.2" x 10.1" (182 x 257 mm) Max. 12.6" x 14.1" (320 x 360 mm) **Corner Stitching** 

Min. 7.2" x 10.1" (182 x 257 mm) Max. 8.6" x 14.1" (220 x 360 mm) Folding

Min. 7.2" x 10.1" (182 x 257 mm) Max. 12.6" x 18.0" (320 x 458 mm)

Pass Through Min. 7.2" x 10.1" (182 x 257 mm) Max. 12.6" x 19.2" (320 x 488 mm)

Scoring Min. 7.2" x 10.1" (182 x 257 mm) Max. 12.6" x 19.2" (320 x 488 mm)

**Bleed Trimming** Min. 7.3" x 10.1" (187 x 257 mm) Max. 12.6" x 19.2" (320 x 488 mm)

### Sheet Weight Range

64 to 250 gsm

Stitch and Fold Thickness Coated: 20 sheets, 90 gsm (self-cover) Uncoated: 20 sheets, 70 gsm (self-cover)

Stitch Thickness

Coated: 25 sheets, 90 gsm Uncoated: 25 sheets, 70 gsm

\*Xerox is a trademark of XEROX CORPORATION.

#### itch Distance 3.62" to 5.98" (92 mm to 150 mm) When the sheet width after bleed trim is 11.46" (291 mm) or larger, stitch distance range is 4.8" (122 mm) +/- [12.6" (320 mm) - sheet width].

Stitch Cartridge 5,000 stitches, customer replaceable

Cover Fee Sheet Size Min. 7.2" x 7.2" (182 x 182 mm) Max. 12.6" x 19.21" (320 x 488 mm) Weight Range 64 to 250 gsm **Pile Height** 2" (50 mm)

Head and Foot Bleed Trin 0.1" to 0.6" (2.5 to 15 mm)

#### Face Trim 0.12" to 0.74" (3 to 19 mm)

Face Trimming Thickness Coated: 90 gsm (self-cover), 20 sheets Booklet Uncoated: 70 gsm (self-cover), 20 sheets Booklet

Scoring Number of Line Max. 4 lines Line Distance Min. 0.08" (2 mm)

duction Speed Depends on printer speed and job type.

Temperature & Hu Temperature 10 to 32 °C (50 to 89.6 °F) Humidity 30 to 70 percent RH System performance is optimized when conditions are maintained between 20 to 25 °C (68 to 77 °F) and 45 to 55 percent RH

Single Phase, 200 to 240 V AC, 50 / 60 Hz

### Horizon

### **Professional Duty**



# Easy to use



### Horizon

### HORIZON INTERNATIONAL, INC.

510 Kuze Ooyabu-cho, Minami-ku, Kyoto, 601-8206, Japan Phone: +81-(0)75-934-6700 Fax: +81-(0)75-934-6708 www.horizon.co.jp

#### Distributed by **OSTANDARD**

Standard Finishing Systems, 10 Connector Road, Andover, MA 01810 877-404-4460 978-470-1920 Fax 978-470-0819 www.standardfinishing.com



120301/SO/CW8000/06E/DV

ColorWorks Pro Plus Document Finisher

### **ColorWorks Document Finisher** ColorWorks Pro Plus



### **Productive**

## **Versatile and Flexible**

Color 800/1000 Presses+ColorWorks Pro Plus



# WOW! You mean I can produce professional quality **Booklets** ... in one pass?

The ColorWorks Pro Plus is an all-in-one inline document finisher that combines, bleed trimming, channel scoring, stitching, folding, face trimming and stacking. Professionally finished documents are produced without any need for further post processing. Bleed trims are clean and accurate. Booklets have precise stitch placement, tight folds, and razor-sharp face trims. The channel scoring averts image cracking. Booklets are stacked within the system for unloading. The offset catch tray can also receive staple-only or flat-sheet documents, with the ability to offset one sheet or set from the next. The ColorWorks is convenient, efficient and affordable.

The ColorWorks Pro Plus connects in-line with Xerox Color 800/1000 Presses and DocuColor 8080 digital color presses.





Impress customers or in-house clients with the diverse range of applications you can produce....

## And now, our **Customers** speak out

"The in-line scoring feature is a big plus..."

- Digital Printer, NYC, NY

"We run jobs from start to finish in record time..." - Federal Agency, Washington, DC

same time."

"Bleed trimming creates the look-and-feel we wanted..." - University, NJ

"Our publications have a more professional appearance..." - Insurance Company, Nebraska

"Our high-net-worth customers like receiving a classy, color, personalized statement."

- Financial Services Company, CA

"The ColorWorks was intuitive and easy to learn... this system has helped us enhance the quality and timeliness of our catalogs and helped us mine different verticals with targeted messaging that was impossible before." - Pacific Rim, Wholesale Distributor, Seattle, WA

"The booklets look like they've been offset printed and trade-bound..." - Newspaper, Los Angeles

"The ColorWorks has really helped streamline our production..." - Corporate In-plant, MA

> "We needed to move beyond being just a commercial printer... the DocuColor-ColorWorks combination has lived up to our expectations... when we did the calculations, we were much more competitive because we had a finished piece coming off the back of the system." - Bentley Graphic Communications, Pottstown, PA

"It's helped professionalize our external and internal communications..." - Healthcare In-plant, MO

"The ColorWorks gives us quick turnaround, and it's helped attract new work..."

- Commercial Printer, PA

"We may be nonprofit, but we have very high production standards... we had great expectations, and so far the ColorWorks has delivered, saving us money, time, and producing more professional output at the

- Lions Club International, Oak Brook, IL

"Cadmus is solely focused on the printing and delivery of medical and scientific periodicals... we use the ColorWorks for short-run reprints... we enjoy the benefit of start-to-finish in one line, then just box it and ship it." - Cadmus Communication. Easton. MD

# The **Benefits** of the **ColorWorks** are perfectly clear...

# **Booklet Making** Stitch Bleed Trim Folding Single Sheet Folded Sheets **Corner Stitching** Corner Stitch **Multi-line Scoring** for Perfect Bind Cover Multi-panel Brochure **Cover Feeding** Printer



- Professional, high-impact finished documents with full-bleed trim, score, and face trim.
- Precise stitch placement, flat tight folds, and razor-sharp face trims.
- Image integrity is maintained by scoring documents to avoid image cracking.



### Ease of Use

- Fast, easy set-up via the intuitive, icon-based touchscreen controls
- Save up to 20 job profiles so set-up parameters can be easily recalled with a few touches of a button.
- Enables efficient jam/fault recovery via error codes, icons and diagrams.

**Benefits of In-line Finishing** 

### **Versatility & Flexibility**

- Customer replaceable 5,000 staple cartridge
- The cover feeder can be used to feed pre-printed sheets, for off-line document finishing.
- Custom paper sizes to be entered easily.
- The stacker can be unloaded while running for non-stop productivity.



### - Maintain document integrity as pages never leave the system.


- Improve job turn around time by consolidating finishing functions trimming, folding, stitching, and stacking in one pass.
- Reduce operating errors and labor costs by avoiding multiple off-line production steps.



**Pre-collated Sheets** 

# Now you can handle all of these Applications...





Cover

each sheet scored for flatter folding, full bleed trimming on all sides.).


three-side trimming.

Produce corner/top stitched documents up to 50 pages (25 sheets). Corner/Top stitch + half-fold is also available.


Apply multiple scores on flat sheets for perfect bind covers and off-line folding of multi-panel brochures or

The cover feeder can also be used as off-line feeder for pre-collated sheets.

# Here's how ColorWorks puts the Finishing Touch on your documents













of booklet to produce professional quality booklets.

**7** Face Trimming

**Trimming Width** 3 to 19 mm (0.12" to 0.74")

### **9** Cover Feeder / Off-line Feeder

inserts digitally-printed, conventionally-printed, or die-cut covers for application flexibility. The cover feeder can be used as an off-line feeder.

Intuitive, icon-based touchscreen control for simple set-ups and changeover. "Service Mode" facilitates troubleshooting and

### **3** Bleed Trimming

1 Touchscreen

diagnostics.

Trim width

**5** Stitching

Rotary trimmers remove excess paper from head and foot of sheet for edge-to-edge color. Trimmings are automatically removed to a waste bin behind the finisher.

2.5 to 15 mm (0.1" to 0.6")

Professional quality stitching with customer replaceable staple cartridge (5,000 staples) and adjustable stitch distance.

Stitch Capacity (90 gsm coated) Booklets : 20 sheets Corner/top stitch : 25 sheets

Heavy-duty trim knife cuts fore-edge

Slide-out suction cover feeder

### **2** Top Tray

Simple print jobs can be delivered into the top tray. If the ColorWorks jams, the printed sheets are delivered to the top tray.

### **4** Channel Scoring

Channel scored sheets fold without cracking image and create flatter folded booklets. Multiple scores are available for ColorWorks for perfect bind cover or tri-fold leaflet.

Number of scores Max. 4 lines

### 6 Folding

Tight, accurate half-folding is provided with operator accessible skew adjustment.

**Fold Capacity** 20 sheets (90 gsm coated)

### **8** Booklet Stacker

The ColorWorks is equipped with an internal, space-saving booklet stacker. Booklets can be unloaded while running for non-stop production.

Stack Capacity 100 books

### **1** Off-set Catch Tray (OCT)

The offset catch tray receives staple-only or flat-sheet documents, with the ability to offset one sheet or set from the next.



