Digital colour multifunction printers IM C2010(A) IM C2510 **IM C3010(A)** IM C3510(A) IM C4510(A) **IM C5510**À **IM C6010** ☑ Printer ☑ Copier ☑ Scanner ☑ Fax





# Let's make your print infrastructure a gateway to your digital workspace

As workstyles evolve, digitalisation, agility and teamwork are essential for your organisation to remain competitive. Ricoh's Managed Print & Automation Services unlock the value of your print infrastructure with tailored, managed solutions which empower your people, improve efficiency, reduce cost, enhance security and drive sustainability. Our market-leading IM C Series is innovatively designed. Devices seamlessly integrate with cloud-based services and offer high-quality print, scanning and workflow automation.





## Achieve your sustainability goals

With environmental impact at the top of the global agenda, a sustainable approach to organisational operations is essential. Whether reducing resource and energy consumption to save costs or demonstrating a responsible approach to procuring products and services, the right print infrastructure and partner can support your sustainability goals.

#### A carbon neutral future

At Ricoh, we are firmly committed to reducing our environmental impact and driving a sustainable approach. The IM C Series significantly reduces energy consumption, as well as paper consumption by digitising workflows through scanning; helping to reduce your carbon footprint and costs.

### More energy savings

The IM C Series boasts industry-leading low Typical Energy Consumption (TEC) values and automatic eco-mode energy saving (0.3W) when in sleep mode. They use an innovative new toner that fuses at a lower temperature, resulting in the ideal intelligent device with sustainability at its core.

### More recycled plastic

Designed for sustainability across its lifecycle, the IM C Series is made using 50% post-consumer recycled plastic while PET toner bottles are produced from 100% recycled plastic. Plastic packaging is reduced by 54% thanks to a more sustainable material and no excess packaging.



### Secure and efficient

In an increasingly digital world, organisations must protect sensitive data while enabling flexible workstyles. Our printers are designed and manufactured with end-to-end security protection and includes the latest security features – RICOH Always Current Technology and Multi-Factor Authentication. Secure cloud infrastructure ensures safe access – anywhere and any device.

#### **Ongoing security**

RICOH's Always Current Technology provides access to security upgrades and automatically downloads updates. New security tools include WPA3 authentication for wireless encryption and the latest hardware security module. You can also restrict networks by port name and protocol as well as IP address.



### **More security – Multi-Factor Authentication**

Multi-Factor Authentication, including new card-based access to our printing devices, to minimise the risk of data breaches.



#### Improved admin management system

The IM C Series offers privileged admin account control with unlimited Multi-Function Printer administrator accounts and customisable permissions. This eliminates risks related to sharing IDs and can be linked to user ID systems including Microsoft Windows and LDAP platforms.



# Enhanced productivity and seamless employee experience

Ricoh's intelligent devices enable the ultimate employee experience with features that save time and increase efficiency. The IM C Series automates workflows that accelerate processes and encourage collaboration. An optimised print infrastructure empowers employees to transition to digital ways of working easily and securely; improving their workplace experience.

#### **Third-generation Smart Operation Panel**

Our user-friendly IM C Smart Operation Panel has been upgraded for an even more intuitive and enjoyable experience. Brightness, touch sensitivity and position detection have been improved for optimal access to the device's many resources and functions.



#### Improved user experience

- Android OS 10 for better security and usability
- · Faster CPU, high RAM memory and enhanced performance
- Enhanced accessibility to device, tiltable for better visibility & new capacitive touch sensor
- · Fast wake up time from sleep mode



#### Efficiencies in paper handling

New peripherals ensure professional results with automated finishing possibilities. The single pass double-sided document feeder capably handles high volumes, special paper and card types. High-end options include a hybrid and booklet finisher for that extra touch.



# Supporting your entire digital journey now and into the future

We understand the digital transformation that organisations are undertaking. We are here to set your organisation up for success and equip your people with the right tools to stay ahead. Our Managed Print & Automation Services can adapt to your changing needs, offering customisation, flexibility and reliability.

#### Scanning and automation

Scanning and automation just got easier and quicker. Scanning creates digitised documents that can automate processes like invoice and contract management. Uploading documents into your systems for archiving, knowledge sharing or as part of a workflow is now simpler with Ricoh's software.



### **Document management storage**

Our scalable document management applications drive significant cost savings alongside process improvements. By taking print to the cloud, you can set location-aware printers and enable users to print anytime, anywhere.



### **Transitioning to the cloud**

Our cloud software solutions are readily available and easy to integrate with your existing IT infrastructure, allowing you to enhance the capabilities of your print device. You can also securely connect mobile devices to carry out tasks from your phone or tablet.



### The choice is yours

Simple to use with sophisticated and professional results, Ricoh's IM C Series is the perfect tool for your digital workspace. Our trusted quality and technical expertise are evident from every angle.

#### IM C2010/IM C2010A/IM C2510

- 20 to 25 ppm A3 all-in-one printer for all-round support
- · Scan speed 150ipm (simplex)/300ipm(duplex) in SPDF
- · Fast warm-up time of 24 seconds
- TEC value (kWh/week): 0.20 (20ppm)/0.25 (25ppm)
- B/W power consumption (operation): 411.8 W (20ppm)/449.2 W (25ppm), Sleep mode: 0.3 W

#### IM C3010/IM C3010A/IM C3510/IM C3510A


- 30 to 35 ppm A3 all-in-one printer for high productivity
- Scan speed 150ipm (simplex)/300ipm(duplex) in SPDF
- · Fast warm-up time of 24 seconds
- TEC value (kWh/week): 0.30 (30ppm)/0.35 (35ppm)
- B/W power consumption (operation): 464.4 W (30ppm)/500.5 W (35ppm), Sleep mode: 0.3 W

#### IM C4510/IM C4510A/IM C5510A/IM C6010

- · Productive 45 to 60 ppm A3 all-in-one printer for top performance
- · Scan speed 150ipm (simplex)/300ipm(duplex) in SPDF
- · Super fast warm-up time of 23 seconds
- TEC value (kWh/week): 0.45 (45ppm)/0.62 (55ppm)/0.67 (60ppm)
- B/W power consumption (operation): 576.6 W (45ppm)/726 W (55ppm)/763.3 W (60ppm), Sleep mode: 0.32 W



## Hardware configuration



# IM C2010(A) / IM C2510 / IM C3010(A) / IM C3510(A) / IM C4510(A) / IM C5510A / IM C6010

	IM C2010(A)	IM C2510	IM C3010(A)	IM C3510(A)	IM C4510(A)	IM C5510A	IM C6010						
GENERAL													
Varm-up time	24 seconds	24 seconds	24 seconds	24 seconds	23 seconds	23 seconds	23 seconds						
irst copy speed: B/W	5.1 seconds	5.1 seconds	4.5 seconds	4.5 seconds	3.6 seconds	2.9 seconds	2.9 seconds						
irst copy speed: full colour	7.4 seconds	7.4 seconds	6.9 seconds	6.9 seconds	5.4 seconds	4.2 seconds	4.2 seconds						
ontinuous output speed	20 ppm	25 ppm	30 ppm	35 ppm	45 ppm	55 ppm	60 ppm						
emory: standard	6 GB	6 GB	8 GB	8 GB	8 GB	8 GB	8 GB						
lemory: maximum	6 GB	6 GB	8 GB	8 GB	8 GB	8 GB	8 GB						
SD: standard				256 GB									
SD: optional				1 TB									
				320 GB									
DD: optional	100 1	100 1	400 1		400 1 1								
RDF capacity	100 sheets	100 sheets	100 sheets	100 sheets	100 sheets	-	-						
PDF capacity	220 sheets	- 00.7	220 sheets	220 sheets	220 sheets	220 sheets	220 sheets						
/eight ARDF model (kg)	89.7	89.7	92.9	92.9	94.4	400.0	400.0						
/eight SPDF model (kg)	96.1	-	99.3	99.3	100.8	100.8	100.8						
imensions ARDF model:				587 x 701 x 913 mm									
/xDxH				F07 704 000									
imensions SPDF model:				587 x 701 x 963 mm									
/xDxH ower source			,	220 240 \/ 50 60   1	_								
ower source			•	220 - 240 V, 50 - 60 H	2								
OPIER													
fultiple copying				Up to 999 copies									
Resolution				600 dpi									
loom			From	1 25% to 400% in 1%	steps								
PRINTER													
irst print speed: B/W	4.5 seconds	4.5 seconds	4 seconds	4 seconds	3.2 seconds	2.5 seconds	2.4 seconds						
irst print speed: full colour	7 seconds	7 seconds	6.6 seconds	6.6 seconds	5.2 seconds	3.8 seconds	3.8 seconds						
PU (IM C2010(A), IM C2510,	7 30001103	7 30001103		olloLake E3930 1.3 G		0.0 3C0011G3	3.0 3CC01lu3						
M C3010(A), IM C3510(A))			Λ-	olioLarc Losso 1.5 C	1112								
Printer language: standard			PCL5c PCL6 Posts	Script 3 (emulation), Pl	DF direct (emulation)								
		Com			, ,	laha@							
rinter language: option		Gen	uine Adobe® PostScrip			lones							
rint resolution: maximum				00 x 1,200 dpi equiva									
letwork interface: standard		Ethernet 10 I	base-T/100 base-TX/10	000 base-T, USB Hos	t I/F Type A, USB Dev	ice I/F Type B							
	Wireless LAN (IEEE 802.11 a/b/g/n/ac), Additional NIC (2nd port)												
letwork interface: option		Apple AirPrint, Mopria®, Ricoh Smart Device Connector											
·			Apple AirPrint, M	opria®, Ricoh Smart L	Device Connector		Apple AirPrint, Modrass, Ricon Smart Device Connector  Windows® 8.1, Windows® 10, Windows® 11, Windows® Server 2012R2, Windows® Server 2016, Windows® Server 2019, Windows® Server 202:						
Mobile printing capability	Windows® 8.1, Win	dows® 10, Windows	• • • • • • • • • • • • • • • • • • • •	•		vs® Server 2019, Win	dows® Server 20						
Mobile printing capability Vindows® environments	Windows® 8.1, Win	dows® 10, Windows	® 11, Windows® Serve	er 2012R2, Windows®	Server 2016, Windov	vs® Server 2019, Win	dows® Server 20						
Mobile printing capability Vindows® environments Mac OS environments	Windows® 8.1, Win		® 11, Windows® Serve Mac	er 2012R2, Windows@ intosh OS X v10.15 or	Server 2016, Windov later		dows® Server 20						
Mobile printing capability Windows® environments Mac OS environments JNIX environments	Windows® 8.1, Win		® 11, Windows® Serve Mac n® Solaris, HP-UX, SC	er 2012R2, Windows@ intosh OS X v10.15 or CO OpenServer, RedH	Server 2016, Windov later lat® Linux Enterprise,		dows® Server 20						
Mobile printing capability Vindows® environments Mac OS environments JNIX environments	Windows® 8.1, Win		® 11, Windows® Serve Mac n® Solaris, HP-UX, SC	er 2012R2, Windows@ intosh OS X v10.15 or	Server 2016, Windov later lat® Linux Enterprise,		dows® Server 20						
Mobile printing capability Vindows® environments Mac OS environments JNIX environments AP® environments	Windows® 8.1, Win		® 11, Windows® Serve Mac n® Solaris, HP-UX, SC	er 2012R2, Windows@ intosh OS X v10.15 or CO OpenServer, RedH	Server 2016, Windov later lat® Linux Enterprise,		dows® Server 20						
Mobile printing capability  Mindows® environments  Mac OS environments  JNIX environments  SAP® environments  Other supported environments	Windows® 8.1, Win		® 11, Windows® Serve Mac n® Solaris, HP-UX, SC	er 2012R2, Windows@ intosh OS X v10.15 or CO OpenServer, RedH AP® R/3®, SAP® S/4	Server 2016, Windov later lat® Linux Enterprise,		dows® Server 20						
Network interface: option Mobile printing capability Mindows® environments Mac OS environments JNIX environments SAP® environments Dither supported environments SCANNER Scanning speed: ARDF (A4 LEF,	Windows® 8.1, Win		® 11, Windows® Serve Mac n® Solaris, HP-UX, SC	er 2012R2, Windows@ intosh OS X v10.15 or CO OpenServer, RedH AP® R/3®, SAP® S/4	Server 2016, Windov later lat® Linux Enterprise,		dows® Server 20						
Mobile printing capability Vindows® environments Mac OS environments JNIX environments SAP® environments Other supported environments SCANNER Scanning speed: ARDF (A4 LEF, BW full colour)	Windows® 8.1, Win		® 11, Windows® Serv Mac n® Solaris, HP-UX, SC S	er 2012R2, Windows@ intosh OS X v10.15 or CO OpenServer, Redl- AP® R/3®, SAP® S/4 IBM iSeries 80 ipm (200/300 dpi)	© Server 2016, Windov later lat® Linux Enterprise, ®		dows® Server 20						
Mobile printing capability Vindows® environments Mac OS environments JUNIX environments SAP® environments Other supported environments CANNER Scanning speed: ARDF (A4 LEF, SW full colour) Scanning speed: SPDF (A4 LEF,	Windows® 8.1, Win		® 11, Windows® Serv Mac n® Solaris, HP-UX, SC S	er 2012R2, Windows@ intosh OS X v10.15 or CO OpenServer, Redl- AP® R/3®, SAP® S/4 IBM iSeries	© Server 2016, Windov later lat® Linux Enterprise, ®		dows® Server 20						
Mobile printing capability Vindows® environments Mac OS environments JNIX environments SAP® environments Other supported environments GCANNER GCANNER GCANNIER GCANNI	Windows® 8.1, Win		® 11, Windows® Serv Mac n® Solaris, HP-UX, SC S	er 2012R2, Windows@ intosh OS X v10.15 or CO OpenServer, Redl- AP® R/3®, SAP® S/4 IBM iSeries 80 ipm (200/300 dpi) m (simplex)/300 ipm (d	© Server 2016, Windov later lat® Linux Enterprise, ®		dows® Server 20						
Mobile printing capability Vindows® environments Mac OS environments JNIX environments SAP® environments Other supported environments GCANNER GCANNER GCANNIER GCANNI	Windows® 8.1, Win		® 11, Windows® Serv Mac n® Solaris, HP-UX, SC S	er 2012R2, Windows@ intosh OS X v10.15 or CO OpenServer, Redl- AP® R/3®, SAP® S/4 IBM iSeries 80 ipm (200/300 dpi)	© Server 2016, Windov later lat® Linux Enterprise, ®		dows® Server 20						
Mobile printing capability Vindows® environments Mac OS environments INIX environments SAP® environments Other supported environments CANNER CANNER Why full colour) Canning speed: ARDF (A4 LEF, 00dpi, B/W full colour) Cesolution: maximum	Single Page TIFF, 3	UNIX Su Single page JPEG, S	® 11, Windows® Serve Mac n® Solaris, HP-UX, SC S 150 ipi	er 2012R2, Windows@ intosh OS X v10.15 or CO OpenServer, RedI- AP® R/3®, SAP® S/4 IBM iSeries 80 ipm (200/300 dpi) m (simplex)/300 ipm (of 1,200 dpi	o Server 2016, Window later lat® Linux Enterprise, ® duplex)	IBM® AIX PDF/A, Multi page TIF	FF, Multi page PD						
Mobile printing capability Vindows® environments Mac OS environments JNIX environments SAP® environments Other supported environments SCANNER Scanning speed: ARDF (A4 LEF, SW full colour) Scanning speed: SPDF (A4 LEF, COOdpi, BW full colour) Resolution: maximum Tile formats	Single Page TIFF, 3	UNIX Su Single page JPEG, S	® 11, Windows® Serve Mac n® Solaris, HP-UX, SC S	er 2012R2, Windows@intosh OS X v10.15 or CO OpenServer, RedI-AP® R/3®, SAP® S/4 IBM iSeries  80 ipm (200/300 dpi) m (simplex)/300 ipm (c 1,200 dpi e page High compress gle page Encryption PI	o Server 2016, Window later lat® Linux Enterprise, ® duplex)	IBM® AIX PDF/A, Multi page TIF	FF, Multi page PD						
Mobile printing capability Vindows® environments Mac OS environments Mac OS environments MAC With ENVIRONMENT M	Single Page TIFF, 3	UNIX Su Single page JPEG, S	® 11, Windows® Serve Mac n® Solaris, HP-UX, SC S 150 ipi	er 2012R2, Windows@ intosh OS X v10.15 or CO OpenServer, RedI- AP® R/3®, SAP® S/4 IBM iSeries 80 ipm (200/300 dpi) m (simplex)/300 ipm (of 1,200 dpi	o Server 2016, Window later lat® Linux Enterprise, ® duplex)	IBM® AIX PDF/A, Multi page TIF	FF, Multi page PD						
lobile printing capability  /indows® environments lac OS environments NIX environments AP® environments  ther supported environments  CANNER  canning speed: ARDF (A4 LEF, /// full colour) canning speed: SPDF (A4 LEF, 00dpi, B/W full colour) esolution: maximum ile formats  can modes	Single Page TIFF, 3	UNIX Su Single page JPEG, S	® 11, Windows® Serve Mac n® Solaris, HP-UX, SC S 150 ipi	er 2012R2, Windows@intosh OS X v10.15 or CO OpenServer, RedI-AP® R/3®, SAP® S/4 IBM iSeries  80 ipm (200/300 dpi) m (simplex)/300 ipm (c 1,200 dpi e page High compress gle page Encryption PI	o Server 2016, Window later lat® Linux Enterprise, ® duplex)	IBM® AIX PDF/A, Multi page TIF	FF, Multi page PD						
Mobile printing capability Vindows® environments Mac OS environments JNIX environments SAP® environments Other supported environments GCANNER GCANNER GCANNIC SECANNIC SAPPE (A4 LEF, BW full colour) Capaning speed: SPDF (A4 LEF, 100dpi, BW full colour) Resolution: maximum	Single Page TIFF, 3	UNIX Su Single page JPEG, S n compression PDF, I	® 11, Windows® Serve Mac n® Solaris, HP-UX, SC S 150 ipi ingle page PDF, Single Multi page PDF/A, Sing	er 2012R2, Windows@intosh OS X v10.15 or CO OpenServer, RedI-AP® R/3®, SAP® S/4 IBM iSeries  80 ipm (200/300 dpi) m (simplex)/300 ipm (c 1,200 dpi e page High compress gle page Encryption PI E-mail, Folder, USB	o Server 2016, Window later lat® Linux Enterprise, ® duplex) ion PDF, Single page DF, Multi page Encryp	IBM® AIX PDF/A, Multi page TIF ion PDF, Single/multi	FF, Multi page PD						
Mobile printing capability Vindows® environments Mac OS environments Mac OS environments MAC With environments	Single Page TIFF, 3	UNIX Su Single page JPEG, S n compression PDF, I	® 11, Windows® Serve Mac n® Solaris, HP-UX, SC S 150 ipi ingle page PDF, Single Multi page PDF/A, Sing	er 2012R2, Windows@intosh OS X v10.15 or CO OpenServer, Redl-AP® R/3®, SAP® S/4 IBM iSeries  80 ipm (200/300 dpi) m (simplex)/300 ipm (c 1,200 dpi e page High compress gle page Encryption PI E-mail, Folder, USB  PSTN, PBX 100 dpi, JBIG, ITUT #	D Server 2016, Window later lat® Linux Enterprise, ® duplex) ion PDF, Single page DF, Multi page Encrypi	IBM® AIX PDF/A, Multi page TIF ion PDF, Single/multi y transmission)	FF, Multi page PD						
tobile printing capability  Vindows® environments  flac OS environments  INIX environment	Single Page TIFF, 3	UNIX Su Single page JPEG, S n compression PDF, I	® 11, Windows® Serve Mac n® Solaris, HP-UX, SC S 150 ipi ingle page PDF, Single Multi page PDF/A, Sing	er 2012R2, Windows@intosh OS X v10.15 or CO OpenServer, Redl-AP® R/3®, SAP® S/4 IBM iSeries  80 ipm (200/300 dpi) m (simplex)/300 ipm (c 1,200 dpi e page High compress gle page Encryption PI E-mail, Folder, USB  PSTN, PBX 100 dpi, JBIG, ITUT #	D Server 2016, Window later lat® Linux Enterprise, ® duplex) ion PDF, Single page DF, Multi page Encrypi	IBM® AIX PDF/A, Multi page TIF ion PDF, Single/multi y transmission)	FF, Multi page PD						
Iobile printing capability  /indows® environments Iac OS environments NIX environments AP® environments other supported environments  CANNER  canning speed: ARDF (A4 LEF, /// full colour) canning speed: SPDF (A4 LEF, 00dpi, B/W full colour) esolution: maximum ile formats  can modes  AX  ircuit ransmission speed	Single Page TIFF, 3	UNIX Su Single page JPEG, S n compression PDF, I	® 11, Windows® Serve Mac n® Solaris, HP-UX, SC S 150 ipi ingle page PDF, Single Multi page PDF/A, Sing	er 2012R2, Windows@intosh OS X v10.15 or CO OpenServer, Redl-AP® R/3®, SAP® S/4 IBM iSeries  80 ipm (200/300 dpi) m (simplex)/300 ipm (c 1,200 dpi e page High compress gle page Encryption PI E-mail, Folder, USB  PSTN, PBX 100 dpi, JBIG, ITUT #	D Server 2016, Window later lat® Linux Enterprise, ® duplex) ion PDF, Single page DF, Multi page Encrypi	IBM® AIX PDF/A, Multi page TIF ion PDF, Single/multi y transmission)	FF, Multi page PD						
dobile printing capability /indows® environments lac OS environments NIX environments AP® environments ther supported environments  CANNER  canning speed: ARDF (A4 LEF, W full colour) canning speed: SPDF (A4 LEF, Dodpi, B/W full colour) esolution: maximum ille formats  can modes  AX  ircuit ransmission speed lodem speed: maximum	Single Page TIFF, 3	UNIX Su Single page JPEG, S n compression PDF, I	® 11, Windows® Serve Mac  Mac  Mac  Mac  Mac  Mac  Mac  Mac	er 2012R2, Windows@intosh OS X v10.15 or CO OpenServer, Redl-AP® R/3®, SAP® S/4 IBM iSeries  80 ipm (200/300 dpi) m (simplex)/300 ipm (or 1,200 dpi) e page High compress gle page Encryption PI E-mail, Folder, USB  PSTN, PBX 100 dpi, JBIG, ITUT # 100 dpi, MMR, ITUT # 33.6 Kbps	D Server 2016, Window later lat® Linux Enterprise, lat® Linux Enterprise, latwork Enterprise, duplex) ion PDF, Single page DF, Multi page Encryption	IBM® AIX PDF/A, Multi page TIF ion PDF, Single/multi y transmission)	FF, Multi page PD						
lobile printing capability //indows® environments lac OS environments NIX environments AP® environments ther supported environments  CANNER  canning speed: ARDF (A4 LEF, W full colour) canning speed: SPDF (A4 LEF, 00dpi, B/W full colour) esolution: maximum ille formats  can modes  AX  irrcuit ransmission speed lodem speed: maximum esolution: standard	Single Page TIFF, 3	UNIX Su Single page JPEG, S n compression PDF, I	® 11, Windows® Serve Mac  Mac  Mac  Mac  Mac  Mac  Mac  Mac	er 2012R2, Windows@intosh OS X v10.15 or CO OpenServer, Redl-AP® R/3®, SAP® S/4 IBM iSeries  80 ipm (200/300 dpi) m (simplex)/300 ipm (or 1,200 dpi) e page High compress gle page Encryption PI E-mail, Folder, USB  PSTN, PBX 100 dpi, JBIG, ITUT # 100 dpi, MMR, ITUT # 33.6 Kbps 8.85 line/mm, 200x100	D Server 2016, Window later lat® Linux Enterprise,  duplex)  duplex)  ion PDF, Single page DF, Multi page Encrypt  1 chart TTI off, memore chart TTI off, memore chart TTI off, memore dpi	IBM® AIX PDF/A, Multi page TIF ion PDF, Single/multi y transmission)	FF, Multi page PD						
lobile printing capability //indows® environments lac OS environments NIX environments AP® environments ther supported environments  CANNER  canning speed: ARDF (A4 LEF, W full colour) canning speed: SPDF (A4 LEF, Dodpi, B/W full colour) esolution: maximum lie formats  can modes  AX  ircuit ransmission speed lodem speed: maximum esolution: standard esolution: standard esolution: option	Single Page TIFF, 3	UNIX Su Single page JPEG, S n compression PDF, I	® 11, Windows® Serve Mac  Mac  Mac  Mac  Mac  Mac  Mac  Mac	er 2012R2, Windows@intosh OS X v10.15 or CO OpenServer, Redl-AP® R/3®, SAP® S/4 IBM iSeries  80 ipm (200/300 dpi) m (simplex)/300 ipm (or 1,200 dpi) e page High compress gle page Encryption PI E-mail, Folder, USB  PSTN, PBX 100 dpi, JBIG, ITUT # 100 dpi, MMR, ITUT # 33.6 Kbps 8.85 line/mm, 200x100 15.4 line/mm, 400x400	D Server 2016, Window later lat® Linux Enterprise, late Linux Enterp	IBM® AIX PDF/A, Multi page TIF ion PDF, Single/multi y transmission)	FF, Multi page PD						
obile printing capability /indows® environments /indows environm	Single Page TIFF, 3	UNIX Su Single page JPEG, S n compression PDF, I	® 11, Windows® Serve Mac  Mac  Mac  Mac  Mac  Mac  Mac  Mac	er 2012R2, Windows@intosh OS X v10.15 or CO OpenServer, Redl-AP® R/3®, SAP® S/4 IBM iSeries  80 ipm (200/300 dpi) m (simplex)/300 ipm (or 1,200 dpi) e page High compress gle page Encryption PI E-mail, Folder, USB  PSTN, PBX 100 dpi, JBIG, ITUT # 100 dpi, MMR, ITUT # 33.6 Kbps 8.85 line/mm, 200x100	D Server 2016, Window later lat® Linux Enterprise, late Linux Enterp	IBM® AIX PDF/A, Multi page TIF ion PDF, Single/multi y transmission)	FF, Multi page PD						
obile printing capability findows® environments ac OS environments NIX environments AP® environments ther supported environments  CANNER  canning speed: ARDF (A4 LEF, W full colour) canning speed: SPDF (A4 LEF, Odpi, B/W full colour) esolution: maximum le formats  can modes  AX  ircuit tansmission speed codem speed: maximum esolution: standard esolution: option pmpression method	Single Page TIFF, 3	UNIX Su Single page JPEG, S n compression PDF, I	® 11, Windows® Serve Mac  Mac  Mac  Mac  Mac  Mac  Mac  Mac	er 2012R2, Windows@intosh OS X v10.15 or CO OpenServer, Redl-AP® R/3®, SAP® S/4 IBM iSeries  80 ipm (200/300 dpi) m (simplex)/300 ipm (or 1,200 dpi) e page High compress gle page Encryption PI E-mail, Folder, USB  PSTN, PBX 100 dpi, JBIG, ITUT # 100 dpi, MMR, ITUT # 33.6 Kbps 8.85 line/mm, 200x100 15.4 line/mm, 400x400	D Server 2016, Window later lat® Linux Enterprise, late Linux Enterp	IBM® AIX PDF/A, Multi page TIF ion PDF, Single/multi y transmission)	FF, Multi page PD						
obile printing capability /indows® environments /indows environments /indows factor environments /indows f	Single Page TIFF, 3	UNIX Su Single page JPEG, S n compression PDF, I	® 11, Windows® Serve Mac  Mac  Mac  Mac  Mac  Mac  Mac  Mac	er 2012R2, Windows@intosh OS X v10.15 or CO OpenServer, Redl-AP® R/3®, SAP® S/4 IBM iSeries  80 ipm (200/300 dpi) m (simplex)/300 ipm (c 1,200 dpi e page High compress gle page Encryption Pf E-mail, Folder, USB  PSTN, PBX 100 dpi, JBIG, ITUT # 100 dpi, MMR, ITUT # 33.6 Kbps 8.85 line/mm, 200x100 15.4 line/mm, 400x400 MH, MR, MMR, JBIG 68 spm	D Server 2016, Window later lat® Linux Enterprise, late Linux Enterp	IBM® AIX PDF/A, Multi page TIF ion PDF, Single/multi y transmission)	FF, Multi page PD						
lobile printing capability  /indows® environments lac OS environments NIX environments AP® environments ther supported environments  CANNER  canning speed: ARDF (A4 LEF, W full colour) canning speed: SPDF (A4 LEF, 00dpi, BW full colour) esolution: maximum ile formats  can modes  AX  ircuit	Single Page TIFF, 3	UNIX Su Single page JPEG, S n compression PDF, I	® 11, Windows® Serve Mac  Mac  Mac  Mac  Mac  Mac  Mac  Mac	er 2012R2, Windows@intosh OS X v10.15 or CO OpenServer, Redl-AP® R/3®, SAP® S/4 IBM iSeries  80 ipm (200/300 dpi) m (simplex)/300 ipm (c 1,200 dpi e page High compress gle page Encryption PI E-mail, Folder, USB  PSTN, PBX 100 dpi, JBIG, ITUT # 100 dpi, MMR, ITUT # 33.6 Kbps 8.85 line/mm, 200x100 I5.4 line/mm, 400x400 MH, MR, MMR, JBIG	D Server 2016, Window later lat® Linux Enterprise, late Linux Enterp	IBM® AIX PDF/A, Multi page TIF ion PDF, Single/multi y transmission)	FF, Multi page PD						

#### IM C2010(A) / IM C2510 / IM C3010(A) / IM C3510(A) / IM C4510(A) / IM C5510A / IM C6010

IM C3510(A)

500 sheets

Label paper

IM C4510(A)

IM C5510A

IM C6010

4.850 sheets

PAPER HANDLING	
Recommended paper size	Standard paper tray(s): SRA3, A3, A4, A5, A6, B4, B5, B6, Envelopes

IM C3010(A)





IM C2510

IM C2010(A)



Paper output: standard Paper output: max. (IM C4510(A), IM C5510A, IM C6010)



3.625 sheets 60 - 300 g/m<sup>2</sup> Paper weight: Travs 60 - 300 g/m<sup>2</sup> 60 - 300 q/m<sup>2</sup> 60 - 300 g/m<sup>2</sup> 60 - 300 a/m<sup>2</sup> 60 - 300 a/m<sup>2</sup> 60 - 300 g/m<sup>2</sup> Paper weight: Bypass 52 - 300 g/m<sup>2</sup> Paper weight : Duplex 52 - 169 g/m<sup>2</sup> 52 - 169 g/m<sup>2</sup> 52 - 256 g/m<sup>2</sup> , Cardstock, Preprinted paper, Bond paper, Coated paper, Enve Paper types Plain paper, Recycle paper, Special paper, Color paper, Letterhe ope, Gloss paper,





50 W

Less than 1,700 W Less than 1,700 W Less than 1,700 W Less than 1,700 W Less than 1,850 W Less than 1, Power consumption: max. Power consumption operation: 411.8 W 449.2 W 464.4 W 576.6 W 726 W 500.5 W 763.3 W B&W 515.3 W 543.6 W 871.2 W Power consumption operation: 456.3 W 494.5 W 664.9 W 827.1 W Full colour Power consumption: ready 37 7 W 37 7 W 38 5 W 38 5 W 40.5 W 40 6 W 40 1 W Power consumption: sleep 0.3 W 0.3 W 0.3 W 0.3 W 0.32 W 0.32 W 0.32 W TEC\* 0.2 kWh/week 0.25 kWb/week 0.3 kWh/week 0.45 kWh/week 0.62 kWh/week 0.67 kWh/week 0.35 kWh/week \* It is a reference value based on









#### INPUT/OUTPUT TRAYS AND FINISHER OPTIONS

the ENERGY STAR Ver.3.2 test

1x 550-sheet paper tray, 2x 550-sheet paper tray, 2,000-sheet Large capacity tray, 1,650-sheet side Large capacity tray, 1,000-sheet Hybrid finisher, 3,000-sheet finisher, 1,000-sheet Booklet finisher, 3,000-sheet booklet finisher, 250-sheet Internal finisher, 500-sheet Internal finisher, Stapleless internal finisher, Internal multi-fold unit, Internal shift tray, One-bin tray, Output jogger unit



#### OTHER OPTIONS

Fax unit, G3 Interface, Fax connection unit, Fax memory unit, Cabinet, Caster table, Side Tray, Banner paper quide tray, Punch units, IPDS unit, Camera direct print card, PostScript 3, IEEE 802.11 a/b/g/n/ac, Device server unit, File format converter, OCR unit, Page keeper, Imageable area extension unit, ADF handle, External keyboard bracket, Counter I/F unit, NFC card reader, EFI controller, EFI Adobe Acrobat, EFI Color Profiler Suite, EFI Jobflow, EFI Fiery ColorRight, EFI Impose, EFI Compose, EFI Fiery Automation, EFI Hot folders, EFI JobExpert and PDF Processing Kit, Unicode Font Package for SAP, Card reader cover, SSD 1 TB option, Enhanced Security SSD, HDD Option, Bridge unit, XPS, SD card for fonts, Toner bottle lock, Stapleless unit, FAX stamp, Antimicrobial screen protector

#### CONSUMABLES

Toner (black)	30,000 prints	30,000 prints	40,000 prints	40,000 prints	42,000 prints	42,000 prints	42,000 prints
Toner (cyan/magenta/yellow)	18,000 prints	18,000 prints	28,000 prints				
Consumable yield based on 5%	2p/j	2p/j	3p∕j	3p∕j	4p∕j	4p∕j	4p/j
coverage/A4							

For availability of models, options and software, please consult your local supplier

#### Ricoh UK Ltd.

800 Pavilion Drive Northampton Business Park NN4 7YL Northampton United Kingdom



+44(0)1604 814900



www.ricoh.co.uk

